## Rural Garden in a Food Desert

Innovative Farming Solutions Ana Chen Reyes - Jacy Gray - Madison Hodges BAEN 480 - Capstone Project

## Introduction



South Texas Advancement Resource (STAR) presented us with a project to provide a design for vegetable production on a pilot plot of their 200-acre farm located on the East Slator Ranch.

The pilot plot is a 5-acre development on the farm designated to create a rural garden. The rural garden includes high tunnels and a 4.5-acre traditionally irrigated garden area.

The project consists of three main parts: crop selection, the design of an irrigation system, and the design of the garden layout.

## **Design Objectives**

- Crop Selection: select suitable plants based on soil type and extreme weather conditions (semi-arid region), and create a rotation plan to take advantage of the growing seasons and maximize production.
- Garden Layout: consider wind and weather data to determine the best place to plant the crops, and incorporate the use of high tunnels.
- Irrigation System: create a system that maximizes efficiency and reduces evaporation and runoff.

## **Costs & Benefits**

#### The project is feasible

Costs & Benefits							
Section	Capital Cost	Operating, Fixed & Variable Costs	Total Costs	Possible Revenue	Balance		
Crop Management	\$221.44	\$36,890.00	\$37,111.44	\$224,981.15	\$188,091.1		
Garden Layout	\$37,178.68	\$0.00	\$37,178.68	\$0.00	\$0.00		
Irrigation	\$22.065.85	\$0.00	\$22,965.85	\$0.00	\$0.00		
System	\$22,965.85						
Total	\$60,365.97	\$97,255.97	\$97,255.97	\$224,981.15	\$127,72		


Assuming 50% of the crops make it to the market with a 50% margin on price



# **Crop Selection**

#### Beets - Mint - Eggplants - Cucumber

Selected based on chance of survival in the area's extreme weather conditions and soil type (USDA Hardiness Zone 9). Crop coefficients  $\approx 1$ to reduce evapotranspiration loses.



Crop Rotation Plan and Water Requirements

## **Garden Layout** High Tunnel Garden: (4) - 30 ft x 72 ft x 14 ft High Tunnels Traditional Garden: 400 ft x 500 ft

The garden was divided in two sections: high tunnels that will house eggplants or cucumbers depending on the season, and a traditional garden of beets with a companion plant of mint. Companion planting is is beneficial for pollinators, wildlife, soil health, and crop nutrition. The high tunnels are positioned in a single-bay configuration upwind and perpendicular to the wind direction to reduce wind speed and protect the traditional garden from wind erosion up to 480 ft downwind.




*Project site: The large green rectangle is the traditional* 

garden, and the red squares are the high tunnel gardens.



**High Tunnel Garden** 

**Produces 210 plants per high tunnel per season** 



### **Traditional Garden**

*Produces* 42,656 *beets* and 22,344 *mint plants per season* 


Row width: 1 ft


Space between rows: 2 ft

Plant spacing: 1 ft

# **Irrigation System**

Drip Irrigation





## TEXAS A&M UNIVERSITY Department of Biological and Agricultural Engineering

## **Gardens Specifications**

Row width: 24 in Space between rows: 30 in Plant spacing: 24 in 6 rows of main crop (eggplant or cucumber) per high tunnel

2:1 intercropping rate

86 rows of beets total, 48 rows of mint total

	Traditional Garden, 134 rows, L = 500 ft	(1) Mainline: L=400', spacing=36", D= (134) Laterals: L=500', emitter spacing=	
200'		 Fertilizer	T1 (10,000 G)
		 P2 8	-
		 100 ft	—–1
		 Solenoid valve to control water f	
7			

- irrigation selected minimize Drip to evaporation and runoff
- Affordable & removable drip tape for design flexibility
- Smart control system to easily make changes to and monitor irrigation method
- Fertigation allows for precise control